

REVISED
w/ edits

5 Plant Patent Application of
Gary W. Little and Janet D. Little
for

PEACH TREE NAMED 'JANET'

10 CROSS-REFERENCE TO RELATED APPLICATIONS

None.

VARIETY DENOMINATION

Variety of *Prunus* ~~*persica*~~, denominated as 'Janet'.
persica

15 BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention refers to a new and distinct variety of peach
20 tree which will hereinafter be denominated as the 'Janet' peach tree which
produces clingstone fruit which are mature for commercial harvesting and

shipment approximately July 8 to 10 in a normal growing year in the Sacramento Valley of Northern California as an early peach clingstone fruit for processing with a red blush coloration which matures approximately seven days before the 'Loadel' (un-patented) clingstone peach.

5

2. Background

In the development of new commercial varieties of fruit, specific characteristics places a premium on early or late maturing, in the growing. However, many other varieties have small size, lack of flavor, or coloration. In some instances there are other undesirable characteristics that decrease the commercial success, such as lack of color, size, good flavor and good color. At the same time it must have a different maturity date than that of similar fruit. This new invention meets all of the aforementioned criteria and therefore is of commercial appeal to the processor.

15

BRIEF SUMMARY OF THE INVENTION

The 'Janet' is characterized by producing large clingstone fruit with good yellow color and red blush coloration and is ripe for commercial harvesting and shipment July 8 to 10 in the Sacramento Valley of Northern California. The

new variety is most similar to the 'Loadel' peach tree (un-patented) and the Bowen peach tree (un-patented) from which it is a chance seedling, and from which it is distinguishable in that it ripens approximately 7 days before 'Loadel' and 22 to 24 days before 'Bowen' peach trees and that the fruit is slightly larger in size than the aforementioned varieties. The fruit of this new variety possesses good firmness, color as well as flavor which is greatly acceptable for an early ripening clingstone peach.

ORIGIN AND ASEXUAL REPRODUCTION OF THE NEW VARIETY

The present variety of peach tree was discovered by the inventors in their peach orchard located at the southwest intersection of Pennington Road and Billings Road, 2 miles outside of Live Oak, California in Sutter County. The inventors discovered this seedling in a commercial planting at 'Bowen' (unpatented) clingstone peach trees in the early 1990s. The new variety was first asexually reproduced by the inventors in 1993 by budgrafting on 'Lovell' peach rootstock (unpatented). The asexually reproduced trees first bore fruit of the new variety in July 1995. The inventor carefully compared the asexually reproduced tree with the mother seedling, including the fruit thereof, and is in all respect identical.

1, stable and reproduces to type in successive generations of ~~sex~~ asexual reproduction.

*of GRIDLEY,
CA ON
Block
Road*

BRIEF DESCRIPTION OF THE DRAWING

The accompanying drawing is a color photograph showing fruit and foliage of the new variety. The fruit on the bottom right displays a fruit cut in half with the pit in place while the half on the left shows the pitwell. The next row upward shows the suture as well as the stem end on the stem end on the left displays a side view with the cheek surface. The fruit on the next row upward displays the apical end of the fruit. The top of the photograph shows the foliage typical of this new variety.

DETAILED DESCRIPTION

Referring more specifically to the pomological description of this new and distinct variety of peach tree, the following has been observed under the ecological conditions prevailing in the orchard, located near Gridley, California in the Sacramento Valley of Northern California. All major color designations are by reference to the Dictionary of Color by Maerz & Paul, First Edition, 1930.

Common color names are occasionally employed.

Tree:

Size - Large - Approximately 15 feet high and 15 feet in width.

Vigor - Vigorous.

Figure (form) - Upright and spreading with open vase system of training.

*son a tree
approximately
ten years old,*

Production - Very good - 24 ton/acre.

Regularity of Bearing - Regular every year.

Trunk:

Size - At 18 inches above the ground, circumference is 22 inches.

5

Surface Texture: Moderately rough.

Color - Pl. 15 A8 (Winter Leaf, Cashew Nut, Beach Tan Sedge)

Lenticels - ~~Many in number~~ - oval shape - 6.35mm to 7.94mm (0.25 inch to 0.3125 inch). *Approximately 22 small lenticels per square inch*

Bark Color - Pl.6 A9 (Maren).

Color Code - Pl.7 E10 (Chestnut Brown).

10

Branches:

Size - 14 inches in circumference at 42 inches above ground.

General - Four scaffold branches with 54° angle.

Surface Texture - Slightly rough.

Color - Mature branches - Pl.7 E10 (Chestnut Brown).

15

Color - Immature Branches - Pl.17 L7 (Viridine y).

Leaves:

Size - Medium to large.

Length - 150 to 155mm (5.51 to 6.50 inches).

Width - 33 to 38mm (1.30-1.50 inches).

20

Thickness - Normal for peach.

Shape - Lanceolate, leaf tip acuminate, texture smooth.

*^
Base shape -*

Color - Upwardly disposed surface - PI.23 L6 (Cypress Green and Forest Green), Downwardly disposed surface - PI.22 H7 (Garland Green).

Marginal Form - Crenate.

Leaf Vein - Color ~~PI.20 K5~~ ^{PI.20 K5} (Verdant Green). Thickness - 1mm (0.04 inch).

5 Glandular Characteristics - Reniform alternate at base of leaf. Color code -

PI. 24 L7 (Near Mt. Vernon Green). ~~NUMBER~~
Number of glands - Usually 2 to 3 on each side of petiole of leaf base.

Petiole - Size - Medium. Length - 8 to 11mm (0.31-0.43 inch). Diameter - 1 to 1/2mm (0.059 inch). Color Code - PI.20 A7 (Fairy Green).

Stipules - Very small, 1 mm or less - reddish brown - PI.7 E6 Canyon.

10 Flowers:

Flower Buds - Hardy under Sacramento Valley climatic conditions. Size - Length - 7 to 11mm (0.28 to 0.43 inch). Width - 25mm (0.98 inch).

Shape - Generally conic. Color code - PI.3 F3 (Bridal Rose, Light Pink) and pubescent. Calyx - 5 sepals - Color - PI.6 L8 (Dark

15 Cardinal Rose) toward the base and PI.7 L7 (~~Vindine-Lustic~~).

MAROON

Generally - Showy, abundant.

Color - PI..3 F3 (Bridal Rose).

Date of Bloom - 35 to 40% by 3/11 and 100% by 3/18.

Size - Average diameter 2.5mm (0.98 inch).

20 Petals - Five in number. Length 10mm (0.39 inch), width 9 to 10mm (0.35 to 0.39 inch) with slightly notched margins.

Form - Broadly ovate.

Margins - Moderately undulated with somewhat rounded edges.

Color - Margins ~~Pl. 3-13~~ (Weigel). *Pl. 3 13*

Petal Claws - Broadly truncate - width 1 to 2mm (0.037 to 0.038 inch) .

5 Flower Pedicel - Very short, 2mm (0.079 inch), Color Pl.19 K6 (Seagreen).

Pl. 7 J5
Anthers - small - Color ~~Pl. 7-12~~ (Tapestry Red). Stamens -

Approximately 40, Length 10 to 13mm (0.39 to 0.51 inch). Color
when first open - Pl.4 J3 (Azalea), then change to Pl.2 A1 (White).

Pl. 5 J7
Filament - Color ~~Pl. 5-167~~ (Harvard Crimson Jockey).

10 *Pistil*
~~Pistil~~ - Length 12mm (0.47 inch). Number - 1. Color Pl.17 C2 (Seaform

Pollen y). Surface - Slightly pubescent.
- Color - *9 K 6 (Yellow)*

Fruit:

Date of Maturity - July 8 to 9.

15 Size - Diameter Axial Plane - 80mm (3.15 inches). Transverse in Suture
Plane - 70 to 75mm (2.26 to 2.95 inches). Transverse in Right

Angles to suture Plane - 75mm (2.85 Inches).

Weight - Average - ~~5.9oz.~~ 5.9oz.

Form - nearly uniform. Symmetrical - slightly asymmetrical.

Suture - Shallow.

Ventral Surface - Slightly uneven.

20 Stem Cavity - Length - 28 to 35mm (1.1 to 1.38 inches). Width - Average
15mm (0.59 inch). Depth - 16mm (0.63 inch).

Shape - Ovate.
Base shape - Medium wide and rounded.
Stem - Short - 8mm (0.31 inch) to 4mm (0.16 inch).

Apex - Pointed and prominent.

Skin - Thickness normal for clingstone peach-fruit.

5 ^{SKIN} Texture - Firm - *Smooth*

Tendency to split - None observed.

Color code - Blush - PI.6 L6 (Chianti Antique Ruby), PI.9 K6 (Forsythia).

~~Ground color - Varies to less than 35 to 40%.~~ Flesh Color - PI.9 L8
(Cadmium y).

10 Surface of Pit Cavity - PI.12 L9 (Yucatan Cathay-Mexican + French y).

Color of Pit Cavity Wall - PI.12 L9 (Yucatan Cathay - Mexican + French y).

Juice production - Moderate.

Flavor - Very good. *Flesh Fibers - None.*
Flesh aroma - Slight, pleasant

Texture - Firm.

15 Ripening - Even.

Processing Quality - Very good.

Stone:

Attachment - Clingstone.

Fibers - few and thick.

20 Size - Length 35 mm (1.38 inch), width 25mm (0.98 inch) and thickness
20mm (0.79 inch).

Plant/fruit disease and pest resistance/susceptibility
- None observed.

Peach Tree Named 'Janet'
Gary W. Little & Janet D. Little
Docket No. RAR531.02

Form - Oval.

Apex - Slightly rounded.

Color Code - (when dry) PI.12 L 12 (Punjab).

Base - Rounded with flattened center.

Sides - Slightly unequal.

Ridges - On both sides with narrow ridge on ventral side.

Tendency to split - none observed.

Use - ^{- CANNING -} For processing as canned peaches

Shipping Quality - good ^{due to firm nature of fruit, it will ship and handle very well at time of harvesting and refrigeration of fruit.}

Like most peach trees in California, the new variety has winter hardiness and is not susceptible to damage during the dormant. There is no evidence of any particular susceptibility of the tree or fruit to heat.

Although the new variety of peach tree possesses the described characteristics noted above based on the growing conditions prevailing near Gridley, California in the Sacramento Valley of Northern California, it is to be understood that variations in the usual magnitude and characteristics incident to changes in growing conditions, irrigation, fertilization, pruning, pest control, climatic variation and the like are to be expected. It should also be realized by those skilled in the art that such equivalent constructions do not depart from the spirit and scope of the invention as set forth in the appended claim.

- 9 of 11 -
Keeping Quality - Good shelf life. Kept at room temperature for 3-5 days. Has kept in cold storage for up to 2 weeks.